

Work Order ID 55118

January 6, 2010 3:05:36 PM



Page 1

Item ID: D3579-047

Accept



Setup Start



Revision ID:

Item Name: Shoulder Harness

Stop



Start Date: 1/06/10 Start Qty: 6.00



Cust Item ID:

Required Date: 1/14/10 Req'd Qty: 6.00



Customer:

Reference:

Approvals: Process Plan:

W

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3579

Rev C

100

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 11051 [P/N:5-01-2M5701] Possible
supplier: Schoth Safty Products [Certificate of conformity is required]

CL 10/01/06 (6)

110

0.00



Receive & Inspect for Damage & Mat'l Certs

Packaging

Memo

0.00

Packaging

Ensure certificate of conformity is attached

P 14/01/15 (6)

120

0.00



QC5- Inspect part completeness to step on W/O

QC

Memo

0.00

Quality Control

2) 50/01/12

(46)

Work Order ID 55118

January 6, 2010 3:05:37 PM

Page 2

Item ID: D3579-047

Accept

Setup Start

Revision ID:

Stop

Item Name: Shoulder Harness

Start Date: 1/06/10 Start Qty: 6.00

Required Date: 1/14/10 Req'd Qty: 6.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

Apply Decals as per Dwg 3579 Using 3M Marine Adhesive IAR 3M
5200 BATCH: 1112173

Ep 10/01/21 (6)

140

0.00



QC

QC5- Inspect part completeness to step on W/O

Memo

0.00

Quality Control

=> S 10/01/21

(6)

150

0.00



Packaging

Identify as per dwg & Stock Location: 273

Memo

0.00

Packaging

bx
11/5-1-21
SD

Work Order ID 55118

January 6, 2010 3:05:37 PM



Page 3

Item ID: D3579-047

Accept



Setup Start



Revision ID:

Stop



Item Name: Shoulder Harness

Start Date: 1/06/10 Start Qty: 6.00



Cust Item ID:

Required Date: 1/14/10 Req'd Qty: 6.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/01/22 JF
MF
10-1-21

Picklist Print

January 6, 2010 3:05:36 PM

Page 1

Work Order ID: 55118

Parent Item: D3579-047

Parent Item Name: Shoulder Harness



Comments:

Start Date: 1/06/10

Required Date: 1/14/10

Start Qty: 6.00

Required Qty: 6.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
5-01-2M5701  SHOULDER HARNESS LH		Purchased	No			130	Each	0.0000	6.0000			
D3569-3  Decal		Manufactured	No			110	Each	6.0000	6.0000			

PO 11051

EP 10/01/18
EP 10/01/18

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

ST

47717

6

6


3

B55395 (3x) EP.

DART

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 1 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS
A	07.01.12	NEW ISSUE	
B	07.06.01	CHG REEL FOR -045/-046/-047/-048	
C	07.06.27	ADD D3569 DECALS AND NOTE 6	

SPECIFICATION CONTROL DRAWING



D3579-041 SHOULDER HARNESS (SHOWN) D3579-042 SHOULDER HARNESS (OPPOSITE)

D3579-041/-042 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9C5901 (D3579-041)
P/N 5-02-9C0901 (D3579-042)
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 2 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS

SPECIFICATION CONTROL DRAWING



D3579-043 SHOULDER HARNESS (SHOWN) D3579-044 SHOULDER HARNESS (OPPOSITE)

D3579-043/-044 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9L5901 (D3579-043)
P/N 5-02-9L0901 (D3579-044)
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>gp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 3 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS

SPECIFICATION CONTROL DRAWING



D3579-045 SHOULDER HARNESS (SHOWN) D3579-046 SHOULDER HARNESS (OPPOSITE)

D3579-045/-046 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2J5701 (D3579-045)
P/N 5-01-2J0701 (D3579-046)
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>qp</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3579	REV. C SHEET 4 OF 4
DATE 07.06.27		TITLE SHOULDER HARNESS	SCALE NTS

SPECIFICATION CONTROL DRAWING



D3579-047 SHOULDER HARNESS (SHOWN) D3579-048 SHOULDER HARNESS (OPPOSITE)

D3579-047/-048 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2M5701 (D3579-047)
P/N 5-01-2M0701 (D3579-048)
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) APPLY DECAL USING 3M MARINE ADHESIVE SEALANT 5200 PER QSI 015

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11051

Purchase Order Date 1/06/10

PO Print Date 1/07/10

Page Number 1 of 1

Order From :

VU-BAE001

BAE SYSTEMS SAFETY PRODUCTS, INC.
PO BOX 405595
ALTANTA, GA 30384-5595
US

REVISED
\$

Contact Name

Vendor Phone

954 784 3178

Vendor Fax

954 784 3179

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	5-01-2M5701	SHOULDER HARNESS LH	1/13/10 Yes	6.00 Each	FedEx PI ppd	\$210.0000	\$1,260.00
Special Inst:			AS PER DWG D3579 REV. C B55118 BAE SYSTEMS P/N: 5-01-2M5701				
2	5-01-2M0701	SHOULDER HARNESS RH	1/13/10 Yes	4.00 Each	FedEx PI ppd	\$210.0000	\$840.00
Special Inst:			AS PER DWG D3579 REV. C B55119 BAE SYSTEMS P/N: 5-01-2M0701				

PO Total:

\$2,100.00

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

Change Nbr:

2

Change Date:

1/07/10

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required when applicable

BAE Systems Safety Products Inc.
MATERIAL ACCEPTANCE TAG

Part Number:	5-01-2M5701RevA	Quantity:	6.0
Serial Number:	01710		
Part Description:	restraint, 3-pt, lh, reel, 601 black, P/N D3579-047		
P.O./W.O. #	DAR10001-1	Cust. PO#:	PO11051
Vendor/Shop:	SHOP: SLO		
Inspector:	WILLIAMS	Approval	SSPC QC 012
Date:	1/13/10		

S
10/01/10

Quality Control / Certification of Conformance

17496

BAE SYSTEMS

BAE Systems Safety Products, Inc.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Bill To

DART Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7
Canada

Phone: 613-632-5200 Fax: 613-632-5246

Ship To

DART Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7
Canada

Order- Line

Description

Qty Certified

DAR10001-1

5-01-2M5701RevA restraint,3-
pt,lh,reel,601black,P/N D3579-047

6 ea

DART AEROSPACE LTD, 613-632-3336 P/N
D3579-047

DAR10001-2

5-01-2M0701RevA restraint,3-
pt,rh,reel,601black,P/N D3579-048

4 ea

DART AEROSPACE LTD, 613-632-3336 P/N
D3579-048

Aircraft SN: N/A

Plating: N/A - Not Applicable

Plating P.O.:

Webbing: 601 Black

** Please ship on FedEx acct# 151793240 **

BAE Commercial Invoice, NAFTA Cert.

FAA Form 8130-3 Required

Supply C of C with shipment

PO: PO11051

Notes:

DAR10001-1,2

Quality Control / Certification of Conformance

17496

BAE SYSTEMS

BAE Systems Safety Products, Inc.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Certificate of Conformance

BAE Systems Safety Products Inc. hereby certifies that the item(s)/part(s) listed above has/have been manufactured from material/hardware using practices, methods, processes and manufacturing procedures set forth by applicable documentation, specification, drawings and customer requirements. We further certify that the item(s)/part(s) are manufactured in accordance with applicable drawings or specifications current on the date on which the order was placed. Test reports covering materials in these parts and indicating conformance with applicable specifications are on file and subject to examination.

Quality K. W. [Signature]

Date 1/13/10

Date of Manufacture 01/10

The conditions and tests required for TSO approval of this article(s) are minimum performance standards. It is the responsibility of those desiring install the article either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the Administrator.

1. Approving National Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: BAE2010-0018	
4. Organization Name and Address: PT 1662CE BAE Systems Safety Products, Inc. 1371 S.W. 8 th St. Unit # 3. Pompano Beach Fl, 33069						5. Work Order/Contract/Invoice Number: DAR10001-1	
6. Item:	7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	Restraint, 3-pt., lh, reel, 601 black	5-01-2M5701 RevA	N/A	6	Date Mfg.: 01/10	NEW	
13. Remarks: EXPORT TO CANADA TSO-C114 <div style="text-align: right; margin-top: 50px;"> 10/15/10 END </div>							
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13. Certifies that unless otherwise specified in block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature: 		16. Approval/Authorization No.: DMIR-511304-CE		20. Authorized Signature:		21. Approval/Certificate No.:	
17. Name (Typed or Printed): Anthony B. LaPointe		18. Date (m/d/y): JAN 13 2010		22. Name (Typed or Printed):		23. Date (m/d/y):	
User/Installer Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1. Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							